

Notice to Reader

All figures presented in US Dollars unless otherwise denoted.

This document is based on information collected and or developed by EnerPure Inc.TM (the "Company" or "EnerPure"). EnerPure and its respective affiliates, employees or representatives, does not make any representation or warranty, expressed or implied, as to the accuracy or completeness of the information contained herein or any other information (whether communicated in written or oral form) made available to prospective investors. No decision to invest or lend should be made on the sole basis of the information in this document. EnerPure, and their respective affiliates, employees and representatives expressly disclaim any and all liability relating to or resulting from the use of this document or such other information by a recipient or any of its affiliates or representatives. Only those representations or warranties that are made in a separate legal agreement have any legal effect. Potential investors and lenders are advised to seek their own legal, technical, and financial advice prior to investing in this opportunity.

Certain disclosure may constitute "forward-looking statements" within the meaning of Canadian securities legislation. In making the forward-looking statements, the Company has applied certain factors and assumptions that the Company believes are reasonable. However, the forward-looking statements are subject to numerous risks, uncertainties and other factors that may cause future results to differ materially from those expressed or implied in such forward-looking statements. Such uncertainties and risks may include, among others, market conditions, delays in obtaining or failure to obtain required regulatory approvals or financing, fluctuating prices, the possibility of project cost overruns, mechanical failure, unavailability of parts and supplies, labour disturbances, interruption in transportation or utilities, adverse weather conditions, and unanticipated costs and expenses, variations in the cost of energy or materials or supplies or environmental impacts on operations. There can be no assurance that such statements will prove to be accurate, and actual results and future events could differ materially from those anticipated in such statements. Readers are cautioned not to place undue reliance on forward-looking statements. The Company does not intend, and expressly disclaims any intention or obligation to, update or revise any forward-looking statements whether as a result of new information, future events or otherwise, except as required by law.









Ready to Deploy

Recycling used motor oil to reduce greenhouse gases while producing a lower carbon-intensive marine fuel



Tremendous Global Opportunity: Targeting the growing 17 billion litres of Used Motor Oil (UMO) that is currently not recycled but is burnt or dumped.



Targeting North America: 1.7 billion litres of collected UMO is being burnt in the US.



Localized Solution: Smaller footprint and lower CAPEX enables regional recycling of the disseminated problem to "bring the solution to the problem".



Proven and Validated: 1.6 million litres processed with patented technology and 1.2 million litres sold to provide market validation.



Marine Fuel Market: Substantive and growing market with increasingly stringent fuel requirements. Our fuel is 14.6% less carbon intensive and a low sulphur content.



Compelling Solution: Addresses significant environmental issues while delivering strong economic returns (IRR: 50%) and reducing GHG emissions (36,315 tonnes/recycling plant).



Delivering: Near-term growth catalysts with a focused and robust deployment plan will allow us to deliver into our initial goal of 21 recycling plants in 6 years (21/6).







Tremendous Global Opportunity

Used Motor Oil (UMO) is a waste product generated by the global lubricants market

Global Lubricants Market

Forecasted to continue to grow.







Estimated Global UMO

30-44% of lubricants will be "lost-in-use".

UMO is petroleum-based or synthetic lubricating oil that cannot be used for its original purpose due to contamination and is a globally disseminated problem.

> 2024 Global UMO 24 billion litres (est.)²

2029 Global UMO 27 billion litres (est.)²

Where Does it Go?

Most preferred option

Least

preferred

option

Recycled: UMO doesn't wear out - it just gets contaminated and can be recycled into re-refined lubricants or other petroleum products.3

Improper handling and burning raises environmental and health concerns due to release of hazardous emissions.3

Burnt: UMO includes additives, metals, criteria air contaminants (CACs) and various other compounds, which are combusted and released into the air.3

2024 Global⁴ 17 billion litres

2029 Global⁴ 19 billion litres

Dumped: One litre can contaminate up to 1,000,000 litres of fresh water.

¹ Mordor Intelligence, Global Lubricants Market (Study Period: 2016–2029) used to forecast underlying driver of market to understand macro-trends.

² Actual loss in use numbers are difficult to quantify given a lack of quantitative data such as vehicle motor oil loss and consumption rates and variation by geographic region. US Department of Energy (DOE) estimated 44% in its 2020 Report.

³ December 2020 US DOE Report to Congress: Used Oil Management and Beneficial Reuse Options

4 No aggregated dumped or burnt UMO data exists and practices are likely to vary between jurisdictions. Figures provided are internal company estimates to illustrate the size of the potential issue and the tremendous opportunity that exists. Burning UMO releases more hazardous compounds than burning cleaner energy sources.











Fargeting North America

The improper disposal of UMO is a growing North American and global issue

9.3B L

US Lubricants Sold In 2018, the US consumed ~21% of the global lubricants market

4.1B L

Lost-in-Use

Consumed through vehicles, other engine oils, and industrial uses.

The US DOE estimates that 36% of UMO generated is recycled and has issued a number of recommendation and acknowledges the opportunity that exists to recycle UMO.1



5.2B L

UMO Generated Estimated 56% of lubricants sold

1.6B L

Unaccounted for at Source Dumped, disposed, burnt.²

3.6B L

Collected UMO Estimated that

~70% of collectable UMO has been collected over past decade.

1.7B L **Collected UMO** Burnt

1.9B L **Collected UMO** Recycled into base oil or other fuels.²

Secondary Opportunity

More localized recycling should enable more cost-effective collection and therefore higher collection rates.



Primary Opportunity

Recycling the 1.7 billion litres of UMO currently burnt.

Secondary Opportunity

Through direct competition with existing recyclers.

Collectable UMO

Collected UMO



² In 2018, the DOE estimated that 18% of lubricants sold (31% of UMO) were unaccounted for at source (e.g. burned in generators, recycled onsite, or disposed of in landfills or dumped into storm sewers).











We Bring the Solution to the Problem

While delivering a premium product with a localized solution

Secondary Opportunity

Unaccounted for at Source Dumped, disposed, burnt.



Primary Opportunity

Collected UMO Burnt

Secondary Opportunity

Collected UMO Recycled into base oil or other fuels.

Current State

Limited recycling exists today (<40%)¹. These much larger facilities² focus on the production of base oils.

- Lack of Recycling Alternatives
- Convenience & Capacity
- **Economic Motivation**
- Lack of Regulations or Enforcement

- Capital intensive with large footprints
- Require extensive collection networks
- Smaller market for re-refined lubricants
- End-product stigma of re-refined lubricants

Our Impact

Our solution increases industry recycling capacity and creates new markets for recycling UMO.

- Achieving 21/6 goal will increase recycling alternatives and industry capacity.
- Compact repeatable modular skid mounted design enables ease of deployment (18 months) and minimizes cost.
- Smaller site requirements (3 acres) and labour requirements (14 staff) minimize operating costs.
- Viable localized solutions will enable better environmental enforcement.
- Lower CAPEX (\$16.5m): ~5% of alternatives.3
- Lower feedstock requirements⁴ shrinks size of collection network, reducing logistical complexity and cost.
- Larger and growing marine fuel end market is more attractive than base oil market (250B L vs. <1B L).
- Preferred in-demand product with 14.6% lower carbon intensity, lower sulphur content, and higher cetane value.









¹ Recycling rates vary by region and depending on loss-in-use estimates, could be as low as 20%.

² Clean Harbors (Safety-Kleen), Heritage-Crystal Clean, etc. are focused on production of base oils.

³ Industry CAPEX estimate for additional recycling capacity of 310m litres (1.9m barrels) annually was \$293m in 2022.

⁴ EnerPure feedstock requirements: 31.5m litres (198k barrels) annually. The majority of UMO recycling (75%) is done by plants 8x the capacity of EnerPure.



Proven & Validated

Through UMO recycling at pilot plant and fuel sold to Maersk Shipping

1.6m litres processed¹



43% scale of full commercial plant³ and exceeded expectations in terms of validating the technology, operating processes, and market demand.

1.2m litres sold² **MAERSK**

Drop-in fuel that blends seamlessly with existing marine fuels; requiring zero operational changes.

Pretreat

UMO is treated and prepared for thermal cracking.

Crack

Thermal cracking breaks the purified UMO into smaller hydrocarbon molecules.

Distill

Distillation separates the fuel streams that meet the specifications for sale as marine grade fuel.

Marine Fuel

With 14.6% Lower Carbon Intensity⁴

Patented UMO recycling process via a refinery, using technology and processes deployed in the petroleum industry for over a century, with 16 patents in key strategic markets around the world.

UMO Feedstock

With less contaminants than crude oil.









¹ Equivalent of 0.4m gallons/10,000 barrels

² Equivalent of 0.33m gallons/7,800 barrels; sold via Elbow River Marketing, a subsidiary of Parkland, primarily to Maersk, among the world's largest container shipping companies.

³ Processing capacity of Manitoba Pilot Plant was 1,700L/hr, full scale commercial plant is 4,000L/hr.


⁴ Third-party report calculated 14.6% lower carbon intensity.

Marine Fuel Market

Growing global demand while exceeding more stringent requirements

Marine Fuel Market





- High Sulphur Fuel Oil (HSFO)
- Marine Gasoil (MGO)
- Other

SFO) Very Low Sulphur Fuel Oil (VLSFO)
Liquid Natural Gas (LNG)

Energy Density

Marine fuels are approximately 20 times as energy dense as the most advanced Tesla batteries.²

Projected Global Market Share	
21/6 Goal	0.2%
53/10	0.5%
10% of UMO Market (76 plants)	0.7%

Growing & Evolving Market

International Maritime Organization (IMO) Looking for Cleaner Solutions.

Legislation is driving change in the industry.3



IMO mandates max. sulphur content: 0.5% (international) and 0.1% (inter-coastal).4

IMO strategy to reduce carbon intensity.⁵

IMO 2030 target to reduce GHG emissions by 40%.5

Our Solution

Our LSMGO and VLSFO meets and exceeds the IMO's Stringent New Requirements.



Sulphur Content < 0.1%

Exceeds ultra-low sulphur oil marine fuel standards including ISO 8217.6



14.6% Less Carbon Intensive

Reduces GHG emissions by 36,315 tonnes and CAC emissions by 437 tonnes annually.



Higher Cetane Value & Lower Ash Content

Delivers cleaner burning fuel with increased fuel economy.






Compelling Annual Impacts


Addressing environmental need with strong economic returns

Initial Goal: 21/6

Eliminating a million tonnes of GHGs within 6 years.



10% of Global UMO Market (76 plants)² Op. Cash Flow GHGs 2.5m 2,194m litres (13.8m barrels) \$460m UMO processed annually Tonnes 2,049m litres (12.9m barrels) of **EBITDA** marine fuel produced annually \$544m Sales \$1,385m



Excludes monetizing any carbon credits and recycling credits. Each Recycling Plant is estimated to remove 36,315 tonnes of GHG emissions and 437 tonnes of CAC emissions annually.4









¹ Figures derived from EP 10yr Financial Model based on build out plan. Annual impact of operating all 53 recycling plants would be 1,925k, respectively.

² Indicative estimate based on extrapolation of financial models.

³ Cumulative removal of over one million tonnes of GHGs.

⁴ GHG emissions calculated by SLR Consulting (Canada) Ltd. to commercial design size.



Strong Economic Returns

Understanding the Key Financial Drivers

Sales \$397 Million

EBITDA \$154 Million


Based on 21 plants in 6 years (21/6)

Recycling Plant Economics¹

- CAPEX: \$16.5m (per daily flowing barrel: \$29,300)
- Payback: Less than 2.5 years
- ► IRR: 50%
- Gross Revenue from 29.4m litres²: \$15.8m³
- ► EBITDA: \$6.9m
- Industry leading 93.4% conversion rate
- Cost of Conversion: 5.8 cents per UMO litre

Alberta Fully Loaded First Commercial Plant Economics

Fully loaded CAPEX: \$22.9m⁴, Payback: 3.3 years, IRR: 36%



Securing a dependable and consistent supply of feedstock will be key in any site selection criteria.⁸ Recycling plants have been specifically sized to reduce permitting timelines. UMO prices have historically correlated with energy prices.







¹ Based on pre-tax Alberta project economics; FX rate of 1.45; US project economics vary slightly.

² Equivalent to 8.3m gallons/198k barrels

³ Based on \$80 per barrel of oil (Excludes monetizing any carbon credits and recycling credits.)

⁴ Includes initial one-off engineering costs.

⁵ Based on continuous operation with 4 shifts of 3 operators.

⁶ Total Operating Cost

⁷ Equivalent to 7.7m gallons/182k barrels

⁸ For example, Alberta collected approximately 90 million litres in 2023/24. Our plant recycles 31.5 million litres annually.



Deployment Schedule - 21/6

Design, locate, build, and operate 21 recycling plants in 6 years





















Initial Roll-out: Alberta Plant

Subsequent Roll-out: to 2034

Compact and Repeatable Modular Design²

Updated FEL-2 Engineering Package Complete²







Finance: May 2025 **Construction Engineering:** Q3 2025 **Fabrication & Construction:** Q4 2025

Start of Commercial Plant Operations: Q1 2027

Use of Standardized Design from Alberta Plant

On-going site identification and selection for next plants: June 2025 onwards

Finance: Q2 2027 Fabrication & Construction: Q3 2027 onwards

Start of Subsequent Operations: Q1 2029 onwards 8 operating plants by end of 2029 27 operating plants by end of 2031 53 operating plants by end of 2034









¹ The Pilot Plant was designed for testing and proofing of the technology; processed 1.6m UMO litres, primary end customer has been Maersk.

² EnerPure has updated the FEL-2 engineering package for its 4,000 litres per hour (31.5m litres of UMO processed annually) recycling plant. The next step from an engineering perspective is to complete the detailed plant design which will be used first for the Company's Alberta Plant and then again on all other plants, representing a one-time engineering effort. The Alberta Plant will be the common design across all future sites with only minor site specific engineering work required, which is included within the capital estimates on slide 10.



Experienced Executive Management Team

Commercialization team in place to deliver upon the strong foundation

EnerPure has been able to attract, retain and will continue to engage the right individuals to drive the business forward with the right mix of leadership, industry knowledge and past startup experience.



Todd Habicht Founder & Executive Chair



Rick Koshman, P.Eng, MBA President & CEO



Damian Towns, CPA CFO & Corporate Secretary

Founder of EnerPure. Successfully started & sold multiple businesses in various industries.

Over 25 years of experience and value creation in the energy sector while delivering over \$5 billion in capital projects.

Over 25 years of experience in progressive and rapid-growth companies, with over 15 years at the executive level.

The EnerPure team has over 100+ years of relevant experience in both the energy industry and growth stage enterprises including 30+ years in the UMO recycling industry. This extensive experience includes technology development, permitting, design & engineering, project development, financing, construction and operation around the globe.



Design: Leading all facets of engineering, design and development of capital-intensive projects.



Locate: International experience in the Americas, Europe, the Middle East, and Africa.



Build: Significant project construction experience and commissioning.



Operate: Management and financial oversight and leadership of production and operations.











Company Overview

Share Structure, Ownership, and Financings

Share Structure (CAD\$ millions) ¹	
Common Shares Outstanding	152.1
Dilutive Securities ²	22.7
Fully Diluted Common Shares	174.8
Last Unit Offering Price	\$0.55
Implied Market Capitalization at 2023 Financing ³	\$83.6
Cash ⁴	\$0.6
Total Cash Raised to Date ⁵	\$40.9



Latest Financings

C\$7.4 million at \$0.55 per unit (Nov 2023)

C\$2.4 million at \$0.40 per unit (Mar 2022)

SDTC Grant: C\$3.5 million (2019)

Ownership¹

Management & Insiders

36%











Growth Catalysts


Upcoming milestones fuelling our growth

- Conversion Efficiency Increase Q1 2024
- Product Mix Optimization Q3 2024
- Commence site permitting for Alberta Q3 2024
- Completion of Process Engineering Package Q4 2024
- Update to GHG Emission and Carbon Intensity Study Q4 2024
- Appointment of new CEO Q2 2025
- Financing terms and structure for Phase I: Alberta Plant H1 2025
- Completion of Alberta Drawings & Construction Package H2 2025¹
- Commence Alberta Plant fabrication H2 2025¹
- Completion of Alberta site permitting H1 2026¹











Focused on 1.7 billion litres of collected UMO that is being burnt in US.



Localized solution enables regional recycling of the disseminated UMO problem.



Validated strong customer demand with 1.6 million litres processed and 1.2 million litres sold.



Selling marine fuel into substantive and growing market with increasingly stringent fuel requirements. Our fuel is 14.6% less carbon intensive and has a lower sulphur content.



Providing a compelling solution by addressing a significant environmental issue with strong economic returns (50% IRR and less than 2.5 year payback) while reducing GHG emissions (36,315 tonnes per recycling plant).



Delivering into near-term growth catalysts with a focused and robust deployment plan.

Recycling that Will Fuel the Energy Transition.

Our Goal: 21/6

of GHGs within 6 years.

Eliminating a million tonnes









For further information info@enerpure.tech +1 204-944-1901





